

Bennett, John

From: Li, Charles <cli@EMSL.com>
Sent: Tuesday, May 19, 2015 1:20 PM
To: Fout, Shay
Subject: RE: EPA Report on EMSL kit testing
Attachments: removed.txt; **Kit report2-Charlie Li.docx**

Hi, Shay,

Attached is my editing, one a few minor changes on page-3 & 4 (Tris replaces tris, pH8.3 is added, SuperScript II instead of SuperScript III).

However, I have difficulty to understand Log GC +/- S.D. in Tables-4, 5 & 6. I do not see the correlations between Log (GC +/- S.D.) and (Cq +/- S.D.). Perhaps, standard curve equations should be added into the tables.

I appreciate that you have included me as a co-author.

Thanks

Charlie



Charles Li, Ph.D. | *Director of PCR and DNA Analysis Laboratory*
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

[LABConnect](#) | [Order Products](#) | [Client Corner](#) | [Training](#) | [Additional Resources](#) | [Sampling Videos](#)

“This email may contain privileged and confidential information and is solely for the use of the sender’s intended recipient(s). **If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited.** If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you.”

From: Fout, Shay [mailto:Fout.Shay@epa.gov]
Sent: Monday, May 18, 2015 4:06 PM
To: Brinkman, Nichole; Cashdollar, Jennifer; Griffin, Shannon; Grimm, Ann; Korajkic, Asja; McMinn, Brian; Rhodes, Eric; Varughese, Eunice; Ware, Michael; Li, Charles
Subject: EPA Report on EMSL kit testing

Dear Coauthors,

Attached is a draft EPA report on the kit testing we did. Please give me any comments/edits by noon Friday, 5/22. The report focuses on the standard procedure versus kit comparison. My plan is to follow up with a journal article focused more on the difference in matrices used. I apologize for the short turn around. I will be out of town next week and would like to get it to technical reviewers so we can get it cleared by June 30th.

Thanks,
Shay

G. Shay Fout, Ph.D.
Senior Research Microbiologist
U.S. Environmental Protection Agency (MS 593)
Office of Research and Development
National Exposure Research Laboratory
Microbiological & Chemical Exposure
Assessment Research Division
Biohazard Assessment Research Branch
26 W. Martin Luther King Jr. Drive
Cincinnati, OH 45268
Phone: 513-569-7387
Fax: 513-569-7464
Email: fout.shay@epa.gov